

EC DECLARATION OF CONFORMITY

We hereby declare that the following product is in conformity with the requirements of the following EC Directive :

Product :	Digital Timer
Type :	H5CX series
	With / Without Socket P2CF-08, P2CF-08-E, P3G-08, P2CF-11 and P2CF-11-E, in connection with the timer (plug-in type only)
No. of Directive :	89 / 336 / EEC
Title of Directive :	Electromagnetic Compatibility
No. of Directive :	73 / 23 / EEC
Title of Directive :	Low Voltage

This product is designed and manufactured in accordance with the following standards.

EMC :	EN61326:1997 + A1:1998
Safety :	EN61010-1:1993 + A2:1995

Year which the CE marking is affixed : 2001

Manufacturer:

Name :	Omron Corporation, Industrial Control Components Division
Address :	Shiokoji Horikawa Shimogyo-ku Kyoto, 600-8530 Japan

Date :	01 / MAR / 2002
---------------	------------------------

Signed :


K. Tobita
Division Manager, Industrial Control Components Division


Representative in EU :

Name :	Omron Europe B.V.
Address :	2132 JD Hoofddorp P.O. Box 13 2130 AA Hoofddorp Netherlands

Date :

29 / April / 2002

Signed :


S. Yamasaki
Manager, Industrial Components Division

Nomenclature / Variants / Similarities

Type H5CX-A, -L series

H5CX - () () () () () - ()
 a b c d e f g

a Basic type designation

b. Construction

A: Standard type

L: Economy type

c. Terminal construction

Blank: Terminal block type

11: 11-pin socket

8: 8-pin socket

d. Output type

Blank: Contact output 1c

S: Transistor output

e. Supply voltage

Blank: 100 to 240 V AC, 50/60 Hz

D: 24 V AC, 50/60 Hz / 12 to 24 V DC

f. Case color

Blank: Black

G: Light gray

g. Special Type

Blank: Standard type

100-149, 300-799: Special type

Type H5CX-B series

H5CX - () () () () () () - ()
a b c d e f g h

a Basic type designation

b. Construction

B: 6 digits

c. Terminal construction

Blank: Terminal block type

d. Setting

W: 2-stages

e. Output type

S: Transistor output

f. Supply voltage

D: 12 to 24 V DC

g. Case color

Blank: Black

G: Light gray

h. Special Type

Blank: Standard type

100-149, 300-799: Special type